

MicroTracker.jl: A Julia package for microbot research

Coy J. Zimmermann¹, Keith B. Neeves², and David W. M. Marr¹

¹ Department of Chemical and Biological Engineering, Colorado School of Mines, Golden, CO, United States of America ² Departments of Bioengineering and Pediatrics, University of Colorado Denver, Anschutz Medical Campus, Aurora, CO, United States of America

DOI: [10.21105/joss.05804](https://doi.org/10.21105/joss.05804)

Software

- [Review](#) ↗
- [Repository](#) ↗
- [Archive](#) ↗

Editor: [Kevin M. Moerman](#) ↗ 

Reviewers:

- [@roflmaostc](#)
- [@mkitti](#)
- [@BioTurboNick](#)

Submitted: 12 July 2023

Published: 13 February 2024

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

Microbots are microscale structures capable of generating their own movement and are of particular interest for biomedical applications and drug delivery (C. J. Zimmermann et al., 2022). At the micron scale, traditional propulsion methods such as propellers do not work; instead, microbots mimic natural systems, like bacteria that corkscrew through fluid (Wu et al., 2018) or white blood cells that roll on vascular surfaces (Alapan et al., 2020). The rapidly expanding field of microrobotics is focused on researching new structures, fabrication techniques, and movement methods, efforts aided by the recent adoption of nano-scale 3d printing techniques (Jeon et al., 2019) and human-scale magnetic field generation equipment (Wang et al., 2021).

Microbot research requires quantitative measurements of the velocity, rotation rate, and size of large numbers of individual microbots under varying actuation and environmental conditions. While a large number of particle tracking methods capable of tracking spheres, cells, and viruses exist (Chenouard et al., 2014), tracking microbots requires specialized software tools that can quickly process large quantities of microbots with varying size and dynamics. With these large datasets, microbot design can be further informed to increase transport efficiency and suitability for a variety of fluidic environments. MicroTracker.jl is a high-throughput analysis tool designed specifically for extracting individual microbot dynamics and metrics from large-scale experiments. It is particularly effective for analyzing microbots which rotate, have variable size, and regularly enter and leave the video frame. MicroTracker.jl is capable of processing batches of videos, delivering significant insights from large sets of experimental data.

Statement of Need

MicroTracker.jl is a Julia (Bezanson et al., 2017) package for tracking and analyzing microbots in optical microscopy videos. The package and accompanying documentation allow researchers to take an array of experiments at various conditions and generate useful summary statistics, interactive data visualization, and publication-ready plots to enable informed decisions on subsequent microbot design. Working alongside the commonly used image analysis tool, ImageJ (Schindelin et al., 2012), to segment images into particles, MicroTracker.jl tracks the velocity, size, shape, and rotation rate of hundreds of microbots at once across multiple videos under various experimental conditions.




Figure 1: Microbot trajectory analyzer. A) Instantaneous speed and B) major axis of a selected microbot over its lifetime. C) The finite Fourier transform of B enables an estimation of the rotation rate. D) Annotated microscope image of the microbot trajectory and fitted ellipse. Scale = 30 μm . E) Experiment-wide average speed and radius of all microbots and a selected microbot for reference.

Tracking of particles in microscopy video has previously been performed either manually through image processing software (Schindelin et al., 2012) or in an automated fashion with particle tracking software such as TrackMate (Tinevez et al., 2017) or TrackPy (Allan et al., 2023). These software were primarily designed for tracking spherical uniform particles and use methods such as the Laplacian of Gaussian that determine the centroid of a Gaussian feature of a certain size. However, these detectors can be ineffective with microbots which can vary widely in size and shape. The particle tracking field is broad with many techniques, each with a strength for a particular system (Chenouard et al., 2014). For microbot tracking and applicability across multiple microbot types, tracking methods must not require *a priori* knowledge of system dynamics, like in a Kalman filter (Kalman, 1960) or pre-trained machine learning model. MicroTracker.jl is catered specifically for microrobotics research and allows for measuring size, shape, and rotation rate tracking of microbots across batches of microscopy videos.

For users with limited coding experience, a Pluto.jl (Plas et al., 2022) notebook is included with this package to provide a simple template. Additionally, a detailed tutorial on how to prepare microscopy video with ImageJ for use with MicroTracker.jl is included in the documentation along with a sample ImageJ macro for easy batch processing. Multiple publications that make use of tools in MicroTracker.jl are available, each unique in their scientific contribution and independent of this package. These include studies of microbots for use in the vasculature (C. J. Zimmermann et al., 2022), lungs (Coy J. Zimmermann et al., 2022), gastrointestinal system (Osmond et al., 2023), and at the air water interface (Wolvington et al., 2023).

Implementation

Microbot tracking is performed by linking individual segmented particle data from each video frame into coherent trajectories using established methods (Allan et al., 2023; Crocker & Grier, 1996). Once linked, the velocity and size trajectory of each microbot can be extracted given

microscope parameters frames/second and microns/pixel. Various functions are included in the analysis pipeline to reduce error, including clipping data where the microbot is occluded near the edge of the frame. Then, the time-series data is collapsed and summarized to characterize and compare microbots. Fourier analysis is used to extract the mean rotation rate from periodic changes in the microbot shape. Together, these insights can be easily extracted from large experimental designs, enabling high-throughput data analysis.

MicroTracker.jl also couples with Pluto.jl(Plas et al., 2022) to feature an interactive microbot visualizer that displays the velocity, size, and frequency data along with the annotated trajectory (Figure 1). Sliders enable the user to scan through each individual video, microbot, and time point. This level of interactivity is critical for analyzing how a given microbot design moves under given experimental conditions. Additionally, with thoughtful naming of microscopy video files with their experimental conditions, MicroTracker.jl can automatically generate publication-ready plots with the help of Julia plotting libraries(Breloff, 2023) that summarize entire experimental sets. Together, these tools allow researchers to obtain insights at both the individual microbot and condition-wide levels.

Acknowledgements

The authors acknowledge support from the National Institutes of Health under grants R01NS102465 and R21AI138214.

References

- Alapan, Y., Bozuyuk, U., Erkoc, P., Karacakol, A. C., & Sitti, M. (2020). Multifunctional surface microrollers for targeted cargo delivery in physiological blood flow. *Science Robotics*, 5(42), eaba5726. <https://doi.org/10.1126/scirobotics.aba5726>
- Allan, D. B., Caswell, T., Keim, N. C., Wel, C. M. van der, & Verweij, R. W. (2023). *Soft-matter/trackpy: v0.6.1*. Zenodo. <https://doi.org/10.5281/zenodo.7670439>
- Bezanson, J., Edelman, A., Karpinski, S., & Shah, V. B. (2017). Julia: A Fresh Approach to Numerical Computing. *SIAM Review*, 59(1), 65–98. <https://doi.org/10.1137/141000671>
- Breloff, T. (2023). *Plots.jl* (Version v1.38.16). Zenodo. <https://doi.org/10.5281/zenodo.8028030>
- Chenouard, N., Smal, I., Chaumont, F. de, & others. (2014). Objective comparison of particle tracking methods. *Nature Methods*, 11, 281–289. <https://doi.org/10.1038/nmeth.2808>
- Crocker, J. C., & Grier, D. G. (1996). Methods of Digital Video Microscopy for Colloidal Studies. *Journal of Colloid and Interface Science*, 179(1), 298–310. <https://doi.org/10.1006/jcis.1996.0217>
- Jeon, S., Kim, S., Ha, S., Lee, S., Kim, E., Kim, S. Y., Park, S. H., Jeon, J. H., Kim, S. W., Moon, C., Nelson, B. J., Kim, J., Yu, S.-W., & Choi, H. (2019). Magnetically actuated microrobots as a platform for stem cell transplantation. *Science Robotics*, 4(30), eaav4317. <https://doi.org/10.1126/scirobotics.aav4317>
- Kalman, R. E. (1960). A New Approach to Linear Filtering and Prediction Problems. *Journal of Basic Engineering*, 82(1), 35–45. <https://doi.org/10.1115/1.3662552>
- Osmond, M. J., Korthals, E., Zimmermann, C. J., Roth, E. J., Marr, D. W. M., & Neeves, K. B. (2023). Magnetically Powered Chitosan Milliwheels for Rapid Translation, Barrier Function Rescue, and Delivery of Therapeutic Proteins to the Inflamed Gut Epithelium. *ACS Omega*, 8(12), 11614–11622. <https://doi.org/10.1021/acsomega.3c00886>

- Plas, F. van der, Dral, M., Berg, P., Γεωργακόπουλος, Π., Bochenski, N., Huijzer, R., Mengali, A., Lungwitz, B., Burns, C., Ling, J., Zhang, E., Schneider, F. S. S., Weaver, I., Rogerluo, Kadowaki, S., Wu, Z., Gerritsen, J., Novosel, R., Supanat, ... fghzxm. (2022). *Fonsp/Pluto.jl: v0.18.1*. Zenodo. <https://doi.org/10.5281/zenodo.6234110>
- Schindelin, J., Arganda-Carreras, I., Frise, E., Kaynig, V., Longair, M., Pietzsch, T., Preibisch, S., Rueden, C., Saalfeld, S., Schmid, B., Tinevez, J.-Y., White, D. J., Hartenstein, V., Eliceiri, K., Tomancak, P., & Cardona, A. (2012). Fiji: An open-source platform for biological-image analysis. *Nature Methods*, 9(7), 676–682. <https://doi.org/10.1038/nmeth.2019>
- Tinevez, J.-Y., Perry, N., Schindelin, J., Hoopes, G. M., Reynolds, G. D., Laplantine, E., Bednarek, S. Y., Shorte, S. L., & Eliceiri, K. W. (2017). TrackMate: An open and extensible platform for single-particle tracking. *Methods*, 115, 80–90. <https://doi.org/10.1016/j.ymeth.2016.09.016>
- Wang, B., Kostarelos, K., Nelson, B. J., & Zhang, L. (2021). Trends in Micro-/Nanorobotics: Materials Development, Actuation, Localization, and System Integration for Biomedical Applications. *Advanced Materials*, 33(4), 2002047. <https://doi.org/10.1002/adma.202002047>
- Wolington, E., Yeager, L., Gao, Y., Zimmermann, C. J., & Marr, D. W. M. (2023). Paddlebots: Translation of Rotating Colloidal Assemblies near an Air/Water Interface. *Langmuir*, 39(22), 7846–7851. <https://doi.org/10.1021/acs.langmuir.3c00701>
- Wu, Z., Troll, J., Jeong, H.-H., Wei, Q., Stang, M., Ziemssen, F., Wang, Z., Dong, M., Schnichels, S., Qiu, T., & Fischer, P. (2018). A swarm of slippery micropropellers penetrates the vitreous body of the eye. *Science Advances*, 4(11), eaat4388. <https://doi.org/10.1126/sciadv.aat4388>
- Zimmermann, C. J., Herson, P. S., Neeves, K. B., & Marr, D. W. M. (2022). Multimodal microwheel swarms for targeting in three-dimensional networks. *Scientific Reports*, 12(1), 5078. <https://doi.org/10.1038/s41598-022-09177-x>
- Zimmermann, Coy J., Schraeder, T., Reynolds, B., DeBoer, E. M., Neeves, K. B., & Marr, D. W. M. (2022). Delivery and actuation of aerosolized microbots. *Nano Select*, nano.202100353. <https://doi.org/10.1002/nano.202100353>